



SAFETY DATA SHEET

THOR POURING GROUT AGGREGATE

Revision 0
Revision date 25-Jan-2010

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name THOR POURING GROUT AGGREGATE
Company Wykamol Group Limited
Unit 3, Boran Court
Network 65 Business Park
Hapton, Burnley
Lancashire. BB11 5TH
sales@wykamol.com www.wykamol.com
Telephone 0845 400 6666
Emergency telephone number 0845 400 6666

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients	Conc.	CAS	EINECS	Symbols/Risk phrases
Dibenzoyl peroxide	1 - 10%	94-36-0	202-327-6	E; R2 Xi; R36 R43

3. HAZARDS IDENTIFICATION

Main hazards May cause sensitisation by skin contact.
Other hazards No significant hazard.

4. FIRST AID MEASURES

Skin contact There may be mild irritation at the site of contact. Wash immediately with plenty of soap and water.
Eye contact There may be irritation and redness. Bathe the eye with running water for 15 minutes.
Inhalation There may be coughing and a sore throat. Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.
Ingestion No symptoms. Do not induce vomiting. Wash out mouth with water. Consult a doctor.

5. FIRE FIGHTING MEASURES

Extinguishing media Suitable extinguishing media for the surrounding fire should be used.
Fire hazards Irritant.
Protective equipment Wear self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Refer to section 8 of the MSDS for personal protection details.
Environmental precautions Do not discharge into drains or rivers.
Clean up methods Transfer to a suitable container.

THOR POURING GROUT AGGREGATE

Revision 0
Revision date 25-Jan-2010

7. HANDLING AND STORAGE

Handling	Ensure there is sufficient ventilation of the area.
Storage	Store in cool, well ventilated area.
Suitable packaging	Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

THOR POURING GROUT AGGREGATE	WEL 8-hr limit ppm: WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 4
Dibenzoyl peroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 5 WEL 15 min limit mg/m3: -

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Self contained breathing apparatus must be available in case of emergency.
Hand protection	Rubber gloves.
Eye protection	Safety glasses with side shields.
Protective equipment	Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Powder.
Colour	Off white.
Odour	Odourless.
Oxidising	Non-oxidising (by EC criteria)
Relative density	2.53
Water solubility	insoluble in water.
Melting point	713 - 723°C

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
------------------	---------------------------------

11. TOXICOLOGICAL INFORMATION

Toxicological information

THOR POURING GROUT AGGREGATE	Oral Mouse LD50 = 5700 mg / kg Oral Rat LD50 = 7710 mg / kg
------------------------------	--

Repeated or prolonged exposure	Refer to section 4 of the MSDS for routes of exposure and corresponding symptoms.
---------------------------------------	---

12. ECOLOGICAL INFORMATION

Mobility	Non-volatile. Insoluble in water. Heavier than water.
Degradability	Not biodegradable.
Bioaccumulation	No data available.

THOR POURING GROUT AGGREGATE

Revision 0
Revision date 25-Jan-2010


13. DISPOSAL CONSIDERATIONS

General information	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.
Disposal methods	Transfer to a suitable container and arrange for collection by specialised disposal company. Recycling / reclamation of other inorganic materials.
Disposal of packaging	Dispose of as normal industrial waste.

14. TRANSPORT INFORMATION

ADR/RID	UN no.: Not classified.
IMDG	UN no.: Not classified.
IATA	UN no.: Not classified.

15. REGULATORY INFORMATION

Symbols	Xi - Irritant 
Risk phrases	R43 - May cause sensitisation by skin contact.
Safety phrases	S2 - Keep out of the reach of children. S46 - If swallowed, seek medical advice immediately and show this container or label. S24 - Avoid contact with skin. S37 - Wear suitable gloves.
Further information	Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Text of risk phrases in Section 2	R2 - Risk of explosion by shock, friction, fire or other sources of ignition. R36 - Irritating to eyes. R43 - May cause sensitisation by skin contact.
General information	Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.